

INTERNATIONAL RESEARCH FELLOWS ASSOCIATION

RESEARCH JOURNEY

Multidisciplinary International E-Research Journal

PEER REFREED & INDEXED JOURNAL

March - 2018

SPECIAL ISSUE-LIII

Emerging Trends and Innovative Practices in Teaching Chemistry



Guest Editor

Dr. R. P. Bhamare

Principal

**MGV's Arts, Science & Commerce College,
Manmad, Dist. Nashik.**

Executive Editor

Dr. B. S. Desale

**MGV's Arts, Science & Commerce College,
Manmad, Dist. Nashik.**

Chief Editor

Dr. Dhanraj Dhangar (Yeola)



This Journal is indexed in

- UGC Approved Journal List No. 48702 & 48827
- Scientific Journal Impact Factor (SJIF)
- Crossref Impact Factor (CIF)
- Global Impact Factor (GIF)
- International Impact Factor (IIF)
- International Impact Factor Services (IIFS)
- Indian Citation Index (ICI)
- Directory of Research Journal Index (DRJI)

INDEX

Sr. No.	Title of the paper	Authors' Name	Page No.
1	<i>The Density and Ultrasonic Velocity Studies of Tetraethyl Ammonium Bromide in Ethanol + Water Mixtures at Different Temperatures</i>	T. B. Pawar	09
2	<i>Study of Thermodynamic Parameters of Binary System</i>	Bhata S. Desale	20
3	<i>Design, Synthesis of Chloroflavone Derivatives as Antifungal Agents by Green Reaction Media</i>	Tukaram R. Mahale, Thausingh B. Pawar, Santosh S. Chobe and Bapusaheb. S. Jagdale*	26
4	<i>Thermodynamic Properties of Binary Liquid Mixtures at Different Temperature</i>	Bhata Shivaji Desale	31
5	<i>The Modulus of Rigidity of Iron, Copper, Brass, Aluminium, Nickel by Using Torsional Pendulum Method</i>	T.L.Kumarat, J.A.Borte, S.J.Patil, N.G.Patil	36
6	<i>Synthesis and Pharmacological Evaluation of New Sipyridinyl Substituted Quinoline Derivatives</i>	Pravin Patil, Jigna Mechhi, Rahul Shinde	39

UGC Approved List of Journals

You searched for research journey

Total Journals: 2

View 21 1 entries

View	S.No.	Journal No.	Title	Impact Factor
	1	40705	Research Journal International E-Research Journal	3.452 (2013)
	2	44117	Research Journey	0.676 (2013)

Showing 2 of 2 entries

Thermodynamic Properties of Binary Liquid Mixtures at Different Temperature.

Bhata Shivaji Desale

Art's, Science and Commerce Collage, Mammad-423104, Dist. Nashik (MS).

E-mail : bbatusdesale@rediffmail.com

Abstract

The thermodynamic parameters and excess molar volumes have been calculated from the experimental value of densities and viscosities of binary mixtures of propyl acetate with alkan-1-ols at 298.15, 303.15, 308.15 and 313.15 K. All the mixtures exhibited endothermic enthalpies which decreased with increasing concentration of propyl acetate .

The density and viscosity of liquid mixtures plays an important role in finding their heat content, mass transport, fluid flow and molecular structure etc. The thermodynamic and transport properties generally yield a valuable information regarding the molecular interactions in pure liquid as well as in liquid mixtures. The excess molar volumes are fitted to Jouyban - Acree model for correlating the density and viscosity of liquid mixtures at various temperatures. Excess properties considered, and yielded acceptable results.

Key words - Propyl acetate, Alkan-1-ol, Thermodynamic properties, Excess molar volume,

Introduction

Thermodynamic and transport properties of binary liquid mixtures containing protic, aprotic and associated liquids have been studied previously¹⁻⁴. The calculated excess quantities from such data have been interpreted in terms of differences in size of the molecules and strength of the specific and nonspecific interactions taking place between the components of the mixtures. When propyl acetate is mixed with different alkan-1-ols, mixing properties with varying intermolecular interactions may be generated. In the present study interactions of propyl acetate with methanol, ethanol, propan-1-ol, butan-1-ol and pentan-1-ol at different temperatures have been reported. The transport and thermodynamic studies on the binary mixtures containing aniline, and benzonitrile have been reported previously by Nikam et al⁵⁻⁶ and Gill et al.⁷

The variations of the excess molar volumes and thermodynamic properties of liquid mixtures of propyl acetate and alkan-1-ols, with concentration have been interpreted on the basis of molecular interactions. The studies carried out more precise understanding of intermolecular interactions of the esters with alkan-1-ols and the relationship between the thermodynamic properties of mixing.

Experimental

Methanol (E.merck, purity 99.5%), ethanol (S.D. fine chemicals , purity 99%), propan-1-ol (S.D. fine chemicals, purity 99%), butan-1-ol (S.D. fine chemicals, purity 99%), pentan-1-ol (S.D. fine chemicals, purity 99%) and propyl acetate (S.D. fine chemicals, purity 99%) were used after single distillation. The purity of the solvent after purification, was ascertained by comparing their densities and viscosities with corresponding literature value at 298.15, 303.15, 308.15 and 313.15 K. Binary mixtures were prepared by mixing known mass of each liquid in an airtight